SAMPLE

Building the Robotics of Tomorrow

A Practical Guide to the Technology Reshaping Industry, Labor, and Daily Life

Aiman JoeHanz

Free sample: Introduction & Chapter 1

putrabooks.github.io

Buy the full book:

Carousell carousell.sg/p/building-the-robotics-of-tomorrow-ebook-pdf-1465869003

ElevenReader

Ko-fi

Payhip

Contents

Introduction

Chapter 1: The Definition

Chapter 2: The Limits

Chapter 3: The Mistakes

Chapter 4: The Principles

Chapter 5: The Build

Chapter 6: The Deployment

Chapter 7: The Actuator and the Sense

Chapter 8: The Deployments

Chapter 9: The Trial

Chapter 10: The Decade Ahead

About this Series

Connect

This free sample contains the Introduction and Chapter 1. The complete book contains the full contents above.

Introduction

Every machine this series has audited has met the physical world at its own distance. The automation worked behind a guard, one rehearsed motion at a time; the autonomous systems ranged past the person's line of sight; the cobot shared its reach with a living hand; the drone lifted the work into the sky and left its pilot on the ground. The robot is the machine all of those were circling: the machine that perceives its own work, makes its own decisions against a model of the world, and acts on matter through its own actuators — sense, decision, and action joined in a loop that closes on the machine rather than in a person's attention. This volume builds that machine, and it starts the way every volume in the series starts: by nailing the word down, because robot has been spent on dishwashers, on software, on vacuum cleaners with publicists, and the buyer who cannot define the machine cannot audit the invoice.

The strict definition runs as follows. A robot is a machine that senses the physical world, plans against a model of it, and acts on it with a program — the loop closed on the machine, in the machine's own time, inside an envelope of world states the buyer must be able to state out loud. The ten chapters assemble that definition piece by piece: the map of the robot families and the shared anatomy underneath them; the honest limits that keep the field humble; the classic mistakes that sink projects before the first bolt; the principles — kinematics, dynamics, fusion, feedback, safety — that hold the machine together; the build from the first task analysis to the first honest shift; the operating institution that keeps the cell true for years; the deep dive into actuators, sensors, and the software in between; the real deployments that paid and the frontier ones being graded; the trial that owns the signature; and the decade ahead, with its humanoids, its learned skills, and its named unknowns. A structural blueprint for building the robotics of tomorrow.

What separates the robot from its neighbors is where the loop closes, and the location is structural, not rhetorical. A machine that repeats blind is automation; a machine whose every motion answers to a person's hands is teleoperation; both are honest machines with honest economics, and neither carries the robot's defining cost. The robot's cost is the cost of engineering judgment into the system: the worker's eye becomes the sensor suite, the worker's craft becomes the planner and the program, the worker's hand becomes the actuator, and the plant's own knowledge — where the work really happens, what the parts really look like on a Tuesday — must be designed into the loop, because nobody stands inside it anymore. Every chapter that follows is one of those substitutions and its bill.

The closed loop also changes what the reader can do at the end of it, and the series has always been honest about that. The reader who finishes this volume can walk a trade-show floor, a plant, or a press release with questions that end conversations early: where does the loop close; what does the envelope contain; what happens on the worst part of the worst day; who owns the fixture and the fault at two in the morning; and what, precisely, does the machine do when the world refuses it? The volume builds those questions chapter by chapter, and the buyer who carries them has already done the hardest part of the discipline this series has been teaching since automation first went behind its wall. The same questions, applied without mercy, are the series' method for everything else the coming decade tries to sell.

Chapter 1: The Definition

Every technology this series has audited has one word that does the structural work, the word whose removal collapses the building. For the automation volume it was the repeat; for the autonomous systems volume, the supervision; for the cobot, the reach; for the drone, the pilot's absence. For robotics the load-bearing word is the loop. A robot is a machine that senses the physical world, plans against a model of that world, and acts on the world through actuators — with the sense, the plan, and the act joined into a closed loop that runs on the machine, in the machine's own time, without a person standing inside it.

The loop is what separates the robot from the machines that merely move, and the rest of this chapter is spent patrolling that border, because the word robot has been applied — by sellers, by enthusiasts, and by engineers who should know better — to nearly everything that moves on a factory floor and quite a few things that do not move at all.

The definition deserves to be unpacked clause by clause, because each clause earns its place by excluding an impostor. Sensing excludes the machine that works blind. Planning excludes the machine whose response to the world is a single fixed trajectory, as opposed to the machine that can select among trajectories or generate a new one. Action on the physical world excludes the software agent, however capable, that never touches matter — the chatbot and the trading system decide, but they act on screens and ledgers, not on steel, cloth, food, or earth. And the closure of the loop excludes the machine whose sensing and acting are mediated by a person's attention: if the machine senses only what the person notices, and acts only what the person commands, the loop is closed in the human, and the machine is a tool with good ergonomics, not a robot. The honest test is the substitution test the series has used on every machine:

remove the person from the room, and if the work stops instantly, the loop was never in the machine. Remove the person and the work stumbles, degrades, misses edge cases — but continues under the machine's own senses and program — and the loop is closed where the definition says it must be.

A definition is a contract between the machine and the buyer, and the robot's contract has three clauses the buyer should be able to recite. The first clause is the world clause: the machine's behavior is specified for a defined envelope of world states — the parts within tolerance, the light within range, the floor within grade — and outside that envelope the machine owes nothing. This clause is where most robot disappointments are written, not by the vendor's

dishonesty but by the buyer's inattention to the envelope's edges: the robot that palletizes beautifully in the demonstration cell and wanders in the plant where the pallets arrive damp, warped, and off-center.

The second clause is the program clause: the machine's competence is a property of the program and the world model it carries, not of the metal. Two identical arms, one running a mature application program and one running a first draft, are two different machines with two different reliabilities, and the buyer who prices the arm and forgets the program has bought half a machine. The third clause is the maintenance clause: the machine that senses and acts is a wearing machine — actuators wear, encoders drift, grippers lose their grip — and the contract includes the discipline of keeping the loop honest, which is to say the maintenance regime the last chapter of this volume formalizes.

The contract's summary, in the series' plain style: the robot is sold as an arm but delivered as a system, and the system's boundaries — world, program, maintenance — are the buyer's real purchase order.

The border patrol begins with the machines that share the robot's neighborhood without sharing its definition. The first impostor is the automation: the fixed-sequence machine, however elaborate, that repeats its motion without sensing the work at all. The stamping press, the pick-and-place with a cam, the bottling line that fills ten thousand units an hour — magnificent machines, honest machines, and not robots, because the loop is open: the world can change under them and they will not know until the crash or the scrap tells a person. The second impostor is the teleoperator: the surgical platform, the underwater remotely piloted vehicle, the demolition arm driven from a cabin.

The sensing may be excellent and the actuation superb, but the deciding is the operator's, and the loop closes in a human head — which is precisely the teleoperator's value, and precisely why it is a different machine with a different engineering discipline. The series gave the drone its own volume for exactly this reason: when the loop is shared between a ground program and a person on a link, the division of authority is the design, and the drone's book builds that division; the robot's book builds the loop the drone leaves on the ground.

The third impostor is the mechanism: the linkage, the gearbox, the engine — a machine that transforms motion beautifully and decides nothing, the mechanical ancestor from whom the robot inherits its kinematics and none of its judgment. And the fourth impostor, newer and more insistent every year, is the software robot: the script that fills forms, the agent that books travel. The word was borrowed for marketing, and the borrowing is harmless until it

obscures the one boundary that matters — the robot acts on the physical world, and the physical world does not forgive the way software forgives. A failed loop on a screen costs a retry; a failed loop at the end of an arm costs a fixture, a part, sometimes a hand.

The families of robots are many, but the anatomy is one, and the anatomy is the map of this volume. Every robot, from the six-axis arm bolted to a concrete plinth to the humanoid negotiating a curb, carries the same five organs, and every later chapter is the deep story of one of them. The senses first: the encoders that know the joint's own angle, the force sensors that know the contact's own pressure, the cameras, the ranging sensors, the inertial units — the machine's channels for what the world is doing, examined in Chapter 7 as instruments and again in Chapter 4 as inputs to a fusion that must turn many noisy readings into one honest estimate.

The perception next: the layer that converts sensing into a model — where the part is, what shape it presents, whether the pallet in front of the machine is the pallet the program expects. The planning third: the layer that converts the model into intention — which grasp, which path, which order of operations, examined in Chapter 5 as the builder's craft and in Chapter 7 as the software stack that carries it. The control fourth: the layer that converts intention into motor currents at a rate fast enough to hold the machine's world together — the servo loop, the motion controller, the feedback discipline of Chapter 4.

And the actuation last: the muscles — electric servos with their gearboxes, the pneumatic and hydraulic alternatives, the grippers and end-effectors where the machine finally touches the work — Chapter 7's first half. The buyer who can name the five organs in the machine in front of them is never lost on a trade-show floor again, because whatever the brochure calls the machine, the organs tell the truth about what it is and what it needs.

With the anatomy in place, the families can be named in a paragraph each, as the map's regions, each of which this volume visits on its way somewhere more structural. The industrial arm is the robot of the fixed position: six joints of freedom, mounted where the work is brought to it, the family that welded, painted, and stacked the second half of the last century's automotive industry, and the machine most buyers mean when they say robot without modifiers. The mobile robot is the robot of the moving workplace: the automated guided vehicle that follows tape and its modern successor, the autonomous mobile robot that builds its own map and routes through the plant's traffic, the family that carries material between the fixed machines and is quietly becoming the floor's operating system.

The collaborative robot is not a separate anatomy but a policy: the arm —

usually a lighter one — built with the sensing, the force limits, and the rounded geometry that let it share a workspace with a person without the guarding wall, the machine the series' cobot volume treated at full length, and the robot's most honest answer to the safety envelope of Chapter 2. The humanoid is the robot of the human environment — the biped, the hands, the machine built to operate stairs, doors, and tools designed for bodies like ours — and Chapter 10 treats it with the skepticism it deserves and the seriousness it is beginning to earn.

And the service robot, the family with the widest range and the thinnest definition — the vacuum cleaner, the delivery trolley, the mowing machine — exists at the boundary where the strict definition meets the consumer market, and is named here mainly to be audited against it: the ones that sense, map, and replan are robots under this volume's contract; the ones that only bump and reverse are mechanisms with ambitions, and the difference is not the price tag but the loop.

The word robot carries freight no other engineering word carries, and the freight predates the technology by decades. The playwright who coined it gave the world a machine built to serve that rises to rule, and every newspaper headline about the field since has been written in that play's shadow. The engineer's answer to the freight is not to argue with it but to audit it, the way this series audits everything: the robot of the laboratory and the plant is a servo loop with a world model, a machine whose competence is bounded by its sensors and whose ambitions belong to its programmers, and the distance between that machine and the play's droids is the distance between the automation of this decade and the fiction of the last one.

But the freight has engineering consequences, not just rhetorical ones, because a public that expects either utopia or apocalypse consistently misprices the actual machine: the buyer who expects too much overpays for the demonstration and underprices the integration; the buyer who fears too much overguards the policy and underbuilds the training; and the plant that expects the humanoid of the headlines gets the arm of the contract — which is, if audited honestly, one of the best deals in industrial history. The word also carries labor freight, and this volume will not dodge it: the robot enters the workplace as a substitute for some human tasks and an amplifier of others, and the deployments of Chapter 8 are chosen partly because each one shows the substitution's honest arithmetic — what the machine took over, what it handed back, and what it asked the humans around it to become.

The series' standing promise holds here as it held for the automation and the cobot: structure, not sentiment, and the structure of the labor question is in

the deployment, not the brochure.

The definition finishes its work by sorting the market, the way every definition in this series does. On one side of the border are the machines that close the loop — and for those, the buyer's questions are the volume's remaining chapters: where the loop's sensing fails, what the loop's planning assumes, who keeps the loop maintained. On the other side are the impostors, each with its own honest use and its own dishonest price when sold as robotics. The teleoperator sold as a robot prices a person's judgment as if it were a program's, and the buyer discovers the difference on the operator's day off.

The automation sold as a robot prices a fixed sequence as if it were a model of the world, and the buyer discovers the difference the day the parts drift. The mechanism sold as a robot is simply a mislabeled purchase. And the software robot sold as the robot the headlines promise is the purest border violation of all, because nothing in it touches the world. The market's honest sorting — the one this definition arms the buyer to perform — does not rank these machines; it separates them, and separation is the entire service.

The automation is often the right buy; the teleoperator is sometimes the only safe one; the mechanism is usually the cheapest. What none of them is, is the machine that senses, decides, and acts on the world alone — and the buyer who knows which machine they actually need, and pays the robotics price only for the robotics machine, has already earned back the price of this volume.

What the chapter found is the series' finding, restated for the machine at hand. The robot is a definition before it is a device, and the definition's load-bearing word is the closed loop — sensing, planning, and actuation joined on the machine, in the machine's own time, inside a world envelope the buyer must be able to state out loud. The five organs are the anatomy the whole book will build; the families are regions on one map, not different species; the word's freight is real but auditable; and the market is sorted not by price or polish but by the single question this chapter has trained the reader to ask of any machine, at a booth, in a plant, or in a headline: where does the loop close?

If it closes in the machine, the buyer is buying robotics, and the rest of the volume is their field manual. If it closes in a person, the buyer is buying a tool, a teleoperator, or a theater ticket, and each of those is another book's business. The next chapter walks the machine the definition admits through its honest limits: the places the loop breaks, the worlds that refuse the envelope, and the failure modes that make the robot, for all its brilliance, the most honest teacher of engineering humility the industrial world has produced.

The definition reads as if it were always obvious, and it was not; the word arrived before the machine did, and the machine spent its first decades earning the loop clause by clause. The word itself was coined for the stage — the forced laborer of a play written between the wars — and the industrial world borrowed it for its first practical machine barely a generation later: the hydraulically powered arm that unloaded die-cast machines, installed in the plant that had the problem, maintained by the engineer whose company built it. The early machine was a robot by courtesy more than by definition: it repeated, it revolutionized the dangerous and the dull, but its loop was thin — position-controlled, largely blind, sensing the world mainly through the crash when the world was wrong.

The decades that followed built the loop's senses: first the encoders that made the arm know its own joints, then the vision systems that made it know the work, then the force control that let it feel what it touched, each wave of sensing arriving on a wave of cheaper computation, because a loop that senses more must decide more, and deciding is arithmetic.

The mobile machines walked a parallel path. The guided vehicle followed its tape for decades — honest automation, loopless, and successful enough to carpet the factories that could afford to paint the floor. The autonomous mobile robot arrived when three curves crossed: cheap ranging sensors, processors small enough to ride along, and the mapping-and-localization mathematics that let a machine hold a coherent belief about where it is in a building it has never been told about. The series' autonomous-systems volume built that mathematics at full length; what matters here is what the crossing did to the definition — it moved the loop's location from the fixed cell to the moving floor, and taught the industrial world that a robot could be a vehicle, a machine whose work was its own position.

The humanoid walked the slowest path of all: balancing on two legs is a control problem the arm never faced, and the biped spent its laboratory decades falling down in public until the actuators, the batteries, and the control theory arrived together — an arrival Chapter 10 audits with care, because it is recent, it is expensive, and it is the family the headlines write about and the plants have not yet hired. The history's shape, compressed: sensing first, mobility second, judgment arriving now — and the definition's three clauses have been filled in, by the field, in exactly that order.

The chapter ends where the series ends every chapter: with the audit, performed on the first machine the reader meets after closing the cover. Stand at the booth or beside the cell and ask the questions in order. Where does the loop close? Ask the demonstrator to state what the machine senses, what it

plans, and where those two meet — a good demonstration can answer in one sentence, and a bad one answers in adjectives. What is the envelope? Ask for the world states the machine is specified to handle — part tolerances, lighting, floor grade, ambient mess — and watch the honest vendor answer eagerly and the dishonest one answer with the word versatile.

What did the loop cost? Ask what is included with the arm: the sensing, the fixture, the programming, the support — because the machine is the system, and the system is what ships. What happens outside the envelope? Ask what the machine does with the part that is wrong, the pallet that is warped, the person who steps in — the answer describes the machine's character more honestly than any capability chart. And who keeps the loop honest? Ask who maintains it, at what interval, with what skills — the maintenance clause of the contract, priced now rather than discovered later. The machine that answers the five questions well has earned the volume's remaining chapters, and the machine that cannot answer them has answered them.

One more structural idea belongs in the foundation chapter, because the whole book runs on it: the closed loop runs on more than one clock, and the robot's engineering is, in a deep sense, the discipline of keeping three clocks in one machine. The first clock is the control clock, fast beyond human patience: the servo loop that reads the joint's error and corrects the motor's current, ticking thousands of times a second, holding the machine's position together against gravity, friction, and the physics of its own mass. The second clock is the perception clock, slower: the camera's frame, the scanner's sweep, the fusion's honest estimate of where the part is and what the pile looks like, ticking a few dozen times a second, each tick a fresh chance to notice that the world left the envelope.

The third clock is the plan clock, slowest of all: the task's progress, the batch's rhythm, the shift's choreography, ticking in human time, where the machine's day is organized and its exceptions are escalated. The three clocks explain the machine's whole shape: the actuators are sized for the first clock's corrections, the sensors are priced for the second clock's honesty, and the programs are written at the third clock's pace — and the field's hardest failures live at the clock boundaries, where a perception that updates too slowly for the arm's motion, or a plan that assumes a world the senses have already contradicted, makes the machine confidently wrong at exactly the speed of its confidence. The buyer's version of the idea is a single question at the booth: where do your clocks meet, and what happens when they disagree — and the engineering of that answer is the rest of this volume, chapter by chapter.

The definition closes with the map of the volume it opens, so the reader knows

the road while it is still daylight. The next chapter walks the machine's honest limits — the unstructured world, the brittle perception, the last meter, the arithmetic that governs where robots pay — because the buyer who knows the standing of the machine buys neither the headlines nor the fears. The third chapter catalogs the classic mistakes, nine of them, each a shortcut under pressure, because the field's failures are the cheapest education the buyer will ever receive. The fourth builds the machine's foundations — kinematics, dynamics, fusion, feedback, safety, and the engineered world half — the anatomy every later page assumes.

The fifth is the build itself, from the task analysis to the machine's first honest shift, in the order the field has learned to build it. The sixth is the deployment — the operating institution that keeps the cell honest for the machine's whole life. The seventh opens the machine's body: the actuators, the sensors, and the software that carries the loop. The eighth walks the real deployments — the proven, the scaling, and the frontier — and reads them with the volume's audit. The ninth is the trial, where the machine meets the evidence that owns the signature.

And the tenth looks down the decade with the disciplines in hand. Ten chapters, one machine, and a buyer at the end of it who can read any robot on any floor — which is the only outcome this series has ever promised its readers.

End of free sample. The full book is available at putrabooks.github.io

ABOUT THE AUTHOR

Aiman JoeHanz writes the Building of Tomorrow series -- structural, vendor-neutral guides to the technologies reshaping industry, labor, and daily life. Each volume treats one technology the way an engineer treats a machine: definition first, then anatomy, failure modes, principles, build, deployment, and the honest decade ahead.